Sci

NEUROSCIENCE AND BIOBEHAVIORAL REVIEWS

VOLUME 4 1980

SUBJECT INDEX

Acetylcholine
  body temperature, 175
  histamine, 175
  morphine, 175
  prostaglandins, 175
ACTH
  adrenal medulla functioning, 77
  affect, 77
  analgesia, 69, 77
  conditioned emotional response, 69
  conditioned taste aversion, 69
  endorphin, 69, 77
  enkephalin, 77
  learning, 69
  opiate receptor, 77
  pain, 77
  pituitary gland, 77
  signaled shock, 69
  stress, 77
Activity
  body weight, 377
  daily rhythms, 377
  drinking, 377
  eating, 377
  light-dark cycle, 377
  set-point, 377
Adaptive advantage
  amnion, 141
  fetal membranes, 141
  immunology, 141
  ingestion, 141
  mammals, 141
  maternal behavior, 141
  parturition, 141
  placenta, 141
  placentophagia, 141
  pregnancy, 141
Adrenal medulla functioning
  ACTH, 77
  affect, 77
  analgesia, 77
  endorphin, 77
  enkephalin, 77
  opiate receptor, 77
  pain, 77
  pituitary gland, 77
  stress, 77
Affect
  ACTH, 77
  adrenal medulla functioning, 77
  analgesia, 77
  endorphin, 77
  enkephalin, 77
  opiate receptor, 77
  pain, 77
  pituitary gland, 77
  stress, 77
Affective disorders
  drinking, 151
  eating, 151
  finickiness, 151
  obesity, 151
  ventromedial hypothalamus, 151
Aggression
  cannibalism, 17
  endorphins, 473
  estradiol, 17
  hamster, 17
  lactation, 17
  maternal behavior, 17, 473
  mother-litter synchrony, 17
  mother-young bond, 17
  naloxone, 473
  opiates, 473
  pain, 473
  play, 473
  pregnancy, 17
  progesterone, 17
  prolactin, 17
  separation distress, 473
  sexual receptivity, 17
  social behavior, 473
Ambient temperatures
  d-amphetamine, 459
  bombesin, 459
  drug interaction, 459
  DSIP, 459
  β-endorphin, 459
  hyperthermia, 459
  hypothermia, 459
  MIF-I, 459
  morphine, 459
  α-MSH, 459
  naloxone, 459
  neurotensin, 459
  peptides, 459
  thermoregulation, 459
  TRH, 459
Amnion
  adaptive advantage, 141
  fetal membranes, 141
  immunology, 141
  ingestion, 141
  mammals, 141
  maternal behavior, 141
  parturition, 141
  placenta, 141
  placentophagia, 141
  pregnancy, 141
d-Amphetamine
  ambient temperatures, 459
  bombesin, 459
  drug interaction, 459
  DSIP, 459

Numbers preceded by the letter s indicate items appearing in *Body Energy Regulation and the Stimulation to Eat . . .* Suppl., Vol.4, 1980.

d-Amphetamine (continued)
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459
Amphetamines
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Analgesia
ACTH, 69, 77
adrenal medulla functioning, 77
affect, 77
conditioned emotional response, 69
conditioned taste aversion, 69
endorphin, 69, 77, 87
enkephalin, 77, 87
hypothalamus, 87
learning, 69
non-opiate, 87
opiate, 87
opiate receptor, 77
pain, 77, 87
periaqueductal gray, 87
pituitary gland, 77, 87
serotonin, 87
signaled shock, 69
stress, 77, 87
Anticipation
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
hormones, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
time of day, 27
Autoanalgesia
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
lesions, 55
naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Aversive learning
catecholamines, 161
corticosterone, 161
dopamine, 161
learning, 161
norepinephrine, 161

Behavior
genetics, 489
luteinizing hormone-releasing hormone, 1
melanocyte stimulating hormone, 9
peptides, 1, 9
separation, 1
Blood-borne constituents
anticipation, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
hormones, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
time of day, 27
Blood glucose
diurnal metabolic patterns, s39
feeding diurnal cycle, s17
food deprivation, s17, s25
food intake, s17
glucose clearance, s39
insulin release, s39
insulin sensitivity, s39
meal onset, s13
meal pattern, s25
meal size, s25
metabolic diurnal cycle, s17
plasma free fatty acids, s17, s25
post-meal interval, s25
pre-prandial blood glucose decrease, s13
Blood glucose regulation
food intake, s53
glucagon, s53
insulin, s53
self-administration, s53
Body temperature
acetylcholine, 175
amphetamines, 281
bretylium, 281
p-chlorophenylalanine, 281
circadian rhythms, 119
cocaine, 281
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
ergot alkaloids, 281
feeding schedules, 119
guanethidine, 281
histamine, 175
6-hydroxydopamine, 281
intestinal enzymes, 119
lever pressing, 119
locomotor activity, 119
methyltyrosines, 281
monoamine oxidase inhibitors, 281
morphine, 175
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
prostaglandins, 175
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
tyrosine transaminase, 119

Body weight
activity, 377
daily rhythms, 377
drinking, 377
eating, 377
light-dark cycle, 377
set-point, 377
Body weight regulation
food intake, s47
food restriction, s47
hyperphagia, s47
starvation, s47
starvation diabetes, s47
weight loss, s47
Bombesin
ambient temperatures, 459
d-amphetamine, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459
Brain
genetics, 421
hippocampus, 437
hypothalamus, 87
mouse, 421
neuroanatomy, 421
neurobiology, 421
neurochemistry, 421
neuropsychophysiology, 421
periaqueductal gray, 87
pineal-hypothalamo-pituitary complex, 451
pituitary gland, 77, 87
raphe magnus, 55
septum, 55
ventromedial hypothalamus, 55, 151
Bretylium
amphetamines, 281
body temperature, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Burrowing
eating, 265
exercise, 265
sex dimorphism, 265

Cannibalism
aggression, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Catecholamines
aversive learning, 161
corticosterone, 161
dopamine, 161
learning, 161
norepinephrine, 161
Cephalic phase of insulin release
palatability, s43
preabsorptive insulin release, s43
p-Chlorophenylalanine
amphetamines, 281
body temperature, 281
bretylium, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Circadian rhythms
anticipation, 27
blood-borne constituents, 27
body temperature, 119
CNS structures, 27
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
feeding cycles, 27
feeding schedules, 119
hormones, 27
intestinal enzymes, 119
lever pressing, 119
lipogenesis-lipolysis, 27
locomotor activity, 119
space-time pattern, 27
time of day, 27
tyrosine transaminase, 119
CNS structures
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
feeding cycles, 27
hormones, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
time of day, 27
Cocaine
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281

Cocaine (continued)
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Conditioned emotional response
ACTH, 69
analgesia, 69
conditioned taste aversion, 69
endorphin, 69
learning, 69
signaled shock, 69
Conditioned fear
autoanalgesia, 55
endorphin, 55
hypophysectomy, 55
lesions, 55
naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Conditioned taste aversion
ACTH, 69
analgesia, 69
conditioned emotional response, 69
endorphin, 69
learning, 69
signaled shock, 69
Corticosterone
aversive learning, 161
body temperature, 119
catecholamines, 161
circadian rhythms, 119
diurnal rhythms, 119
dopamine, 161
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
intestinal enzymes, 119
learning, 161
lever pressing, 119
locomotor activity, 119
norepinephrine, 161
tyrosine transaminase, 119

Daily rhythms
activity, 377
body weight, 377
drinking, 377
eating, 377
light-dark cycle, 377
set-point, 377
2-Deoxy-D-glucose
diurnal cycle, s33
food deprivation, s33
food intake, s33
plasma free fatty acids, s33
plasma glucose, s33
Diurnal cycle
2-deoxy-D-glucose, s33
food deprivation, s33
food intake, s33
plasma free fatty acids, s33
plasma glucose, s33
Diurnal cycle of liver glycogen
liver glycogen, s29
meal onset, s29
meal pattern, s29
Diurnal metabolic patterns
blood glucose, s39
glucose clearance, s39
insulin release, s39
insulin sensitivity, s39
Diurnal rhythms
body temperature, 119
circadian rhythms, 119
corticosterone, 119
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
intestinal enzymes, 119
lever pressing, 119
locomotor activity, 119
tyrosine transaminase, 119
Dopamine
aversive learning, 161
catecholamines, 161
corticosterone, 161
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
learning, 161
melatonin, 451
memory, 451
MIF-I, 451
MSH, 451
norepinephrine, 161, 451
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
Drinking
activity, 377
affective disorders, 151
body temperature, 119
body weight, 377
circadian rhythms, 119
corticosterone, 119
daily rhythms, 377
diurnal rhythms, 119
eating, 119, 151, 377
entrainment, 119
feeding schedules, 119
finickiness, 151
intestinal enzymes, 119
lever pressing, 119
light-dark cycle, 377
locomotor activity, 119
obesity, 151
set-point, 377
tyrosine transaminase, 119
ventromedial hypothalamus, 151
Drug
amphetamine, 281, 459
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
guanethidine, 281
6-hydroxydopamine, 281
morphine, 175, 459
naloxone, 55, 459, 473
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
Drug interaction
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459

DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459
DSIP
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
drug interaction, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459

Eating
activity, 377
affective disorders, 151
body temperature, 119
body weight, 377
burrowing, 265
circadian rhythms, 119
corticosterone, 119
daily rhythms, 377
diurnal rhythms, 119
drinking, 119, 151, 377
entrainment, 119
exercise, 265
feeding schedules, 119
finickiness, 151
intestinal enzymes, 119
lever pressing, 119
light-dark cycle, 377
locomotor activity, 119
obesity, 151
set-point, 377
sex dimorphism, 265
tyrosine transaminase, 119
ventromedial hypothalamus, 151
EEG
hippocampus, 437
mathematical model, 437
theta rhythm, 437
Endorphin
ACTH, 69, 77
adrenal medulla functioning, 77
affect, 77
aggression, 473
ambient temperatures, 459
d-amphetamine, 459
analgesia, 69, 77, 87
autoanalgesia, 55
bombesin, 459
conditioned emotional response, 69
conditioned fear, 55
conditioned taste aversion, 69
drug interaction, 459
DSIP, 459
enkephalin, 77, 87
hyperthermia, 459
hypophysectomy, 55
hypothalamus, 87
hypothermia, 459
learning, 69
lesions, 55
maternal behavior, 473
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 55, 459, 473
neurotensin, 459
non-opiate, 87
opiate, 87, 473
opiate receptor, 77
opiate tolerance, 55
pain, 55, 77, 87, 473
peptides, 459
periaqueductal gray, 87
pituitary gland, 77, 87
play, 473
raphe magnus, 55
separation distress, 473
septum, 55
serotonin, 87
signaled shock, 69
social behavior, 473
spinal cord transection, 55
stress, 77, 87
thermoregulation, 459
TRH, 459
ventromedial hypothalamus, 55
Enkephalin
ACTH, 77
adrenal medulla functioning, 77
affect, 77
analgesia, 77, 87
endorphin, 77, 87
hypothalamus, 87
non-opiate, 87
opiate, 87
opiate receptor, 77
pain, 77, 87
periaqueductal gray, 87
pituitary gland, 77, 87
serotonin, 87
stress, 77, 87
Entrainment
body temperature, 119
circadian rhythms, 119
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
feeding schedules, 119
intestinal enzymes, 119
lever pressing, 119
locomotor activity, 119
tyrosine transaminase, 119
Ergot alkaloids
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281

Ergot alkaloids (continued)
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Estradiol
aggression, 17
cannibalism, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Estrogen
fetal, 133
fighting, 133
neonatal, 133
testosterone, 133
uterine position, 133
Exercise
burrowing, 265
eating, 265
sex dimorphism, 265

Feeding cycles
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
hormones, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
time of day, 27
Feeding diurnal cycle
blood glucose, s17
food deprivation, s17
food intake, s17
metabolic diurnal cycles, s17
plasma free fatty acids, s17
Feeding schedules
body temperature, 119
circadian rhythms, 119
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
intestinal enzymes, 119
lever pressing, 119
locomotor activity, 119
tyrosine transaminase, 119
Fetal
estrogen, 133
fighting, 133
neonatal, 133
testosterone, 133
uterine position, 133
Fetal membranes
adaptive advantage, 141
amnion, 141
immunology, 141
ingestion, 141
mammals, 141
maternal behavior, 141
parturition, 141
placenta, 141
placentophagia, 141
pregnancy, 141
Fighting
estrogen, 133
fetal, 133
neonatal, 133
testosterone, 133
uterine position, 133
Finickiness
affective disorders, 151
drinking, 151
eating, 151
obesity, 151
ventromedial hypothalamus, 151
Food deprivation
blood glucose, s17, s25
2-deoxy-D-glucose, s33
diurnal cycle, s33
feeding diurnal cycle, s17
food intake, s17, s33
meal pattern, s25
meal size, s25
metabolic diurnal cycle, s17
plasma free fatty acids, s17, s25, s33
plasma glucose, s33
post-meal interval, s25
Food intake
blood glucose, s17
blood glucose regulation, s53
body weight regulation, s47
2-deoxy-D-glucose, s33
diurnal cycle, s33
feeding diurnal cycle, s17
food deprivation, s17, s33
food restriction, s47
glucagon, s53
hyperphagia, s47
insulin, s53
metabolic diurnal cycle, s17
plasma free fatty acids, s17, s33
plasma glucose, s33
self-administration, s53
starvation, s47
starvation diabetes, s47
weight loss, s47
Food restriction
body weight regulation, s47
food intake, s47
hyperphagia, s47
starvation, s47
starvation diabetes, s47
weight loss, s47

Genetics
behavior, 489
brain, 421
mouse, 421
neuroanatomy, 421
neurobiology, 421
neurochemistry, 421
neuropsychophysiology, 421
Glucagon
blood glucose regulation, s53
food intake, s53
insulin, s53
self-administration, s53
Glucose clearnace
blood glucose, s39
diurnal metabolic patterns, s39
insulin release, s39

insulin sensitivity, s39
Guanethidine
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281

Hamster
aggression, 17
cannibalism, 17
estradiol, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Hippocampus
EEG, 437
mathematical model, 437
theta rhythm, 437
Histamine
acetylcholine, 175
body temperature, 175
morphine, 175
prostaglandins, 175
Hormone
ACTH, 69, 77
bombesin, 459
corticosterone, 131, 161
estradiol, 17
estrogen, 133
11-hydroxycorticosterone, 451
luteinizing hormone-releasing hormone, 1
melatonin, 451
melanocyte stimulating hormone, 9, 451, 459
MIF, 451, 459
neurotensin, 459
progesterone, 17
prolactin, 17
testosterone, 133
TRH, 459
Hormones
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
time of day, 27
11-Hydroxycorticosterone
dopamine, 451
5-hydroxytryptamine, 451
melatonin, 451
memory, 451
MIF-I, 451
MSH, 451
norepinephrine, 451
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
6-Hydroxydopamine
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
5-Hydroxytryptamine
dopamine, 451
11-hydroxycorticosterone, 451
melatonin, 451
memory, 451
MIF-I, 451
norepinephrine, 451
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
Hyperphagia
body weight regulation, s47
food intake, s47
food restriction, s47
starvation, s47
starvation diabetes, s47
weight loss, s47
Hyperthermia
ambient temperature, 459
d-amphetamines, 459
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459
Hypophysectomy
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
lesions, 55
naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Hypothalamus
analgesia, 87
endorphin, 87
enkephalin, 87
non-opiate, 87
opiate, 87
pain, 87

Hypothalamus (continued)
periaqueductal gray, 87
pituitary gland, 87
serotonin, 87
stress, 87
Hypothermia
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
TRH, 459

Immunology
adaptive advantage, 141
amnion, 141
fetal membranes, 141
ingestion, 141
mammals, 141
maternal behavior, 141
parturition, 141
placenta, 141
placentophagia, 141
pregnancy, 141
Ingestion
adaptive advantage, 141
amnion, 141
fetal membranes, 141
immunology, 141
mammals, 141
maternal behavior, 141
parturition, 141
placenta, 141
placentophagia, 141
pregnancy, 141
Insulin
blood glucose regulation, s53
food intake, s53
glucagon, s53
self-administration, s53
Insulin release
blood glucose, s39
diurnal metabolic patterns, s39
glucose clearance, s39
insulin sensitivity, s39
Insulin sensitivity
blood glucose, s39
diurnal metabolic patterns, s39
glucose clearance, s39
insulin release, s39
Intestinal enzymes
body temperature, 119
circadian rhythms, 119
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
lever pressing, 119
locomotor activity, 119
tyrosine transaminase, 119

Lactation
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Learning
ACTH, 69
analgesia, 69
aversive learning, 161
catecholamines, 161
conditioned emotional response, 69
conditioned taste aversion, 69
corticosterone, 161
dopamine, 161
endorphin, 69
norepinephrine, 161
signaled shock, 69
Lesions
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Lever pressing
body temperature, 119
circadian rhythms, 119
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
intestinal enzymes, 119
locomotor activity, 119
tyrosine transaminase, 119
Light-dark cycle
activity, 377
body weight, 377
daily rhythms, 377
drinking, 377
eating, 377
set-point, 377
Lipogenesis-lipolysis
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
hormones, 27
space-time pattern, 27
time of day, 27
Liver glycogen
diurnal cycle of liver glycogen, s29
meal onset, s29
meal pattern, s29
Locomotor activity
body temperature, 119
circadian rhythms, 119
corticosterone, 119

diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
intestinal enzymes, 119
lever pressing, 119
tyrosine transaminase, 119
Luteinizing hormone-releasing hormone
behavior, 1
peptides, 1
separation, 1

Mammals
adaptive advantage, 141
amnion, 141
fetal membranes, 141
immunology, 141
ingestion, 141
maternal behavior, 141
parturition, 141
placenta, 141
placentophagia, 141
pregnancy, 141
Maternal behavior
adaptive advantage, 141
aggression, 17, 473
amnion, 141
cannibalism, 17
endorphins, 473
estradiol, 17
fetal membrane, 141
hamster, 17
immunology, 141
ingestion, 141
lactation, 17
mammals, 141
mother-litter synchrony, 17
mother-young bond, 17
naloxone, 473
opiates, 473
pain, 473
parturition, 141
placenta, 141
placentophagia, 141
play, 473
pregnancy, 17, 141
progesterone, 17
prolactin, 17
separation distress, 473
sexual receptivity, 17
social behavior, 473
Mathematical model
EEG, 437
hippocampus, 437
theta rhythm, 437
Meal frequency
meal pattern, s1
meal size, s1
periodicity of feeding, s1
Meal onset
blood glucose, s13
diurnal cycle of liver glycogen, s29
liver glycogen, s29
meal pattern, s29
pre-prandial blood glucose decrease, s13
Meal pattern
blood glucose, s25
diurnal cycle of liver glycogen, s29
food deprivation, s25
liver glycogen, s29
meal frequency, s1
meal onset, s29
meal sizes, s1, s25
periodicity of feeding, s1
plasma free fatty acids, s25
post-meal interval, s25
Meal size
blood glucose, s25
food deprivation, s25
meal frequency, s1
meal pattern, s1, s25
periodicity of feeding, s1
plasma free fatty acids, s25
post-meal intervals, s25
Melanocyte stimulating hormone
behavior, 9
peptides, 9
Melatonin
dopamine, 451
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
memory, 451
MIF-I, 451
MSH, 451
norepinephrine, 451
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
Memory
dopamine, 451
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
melatonin, 451
MIF-I, 451
MSH, 451
norepinephrine, 451
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
Metabolic diurnal cycle
blood glucose, s17
feeding diurnal cycle, s17
food deprivation, s17
food intake, s17
plasma free fatty acids, s17
Method
mathematical model of oscillatory electrographic activity in the hippocampus, 437
Methyltyrosines
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
MIF-I
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
dopamine, 451
drug interaction, 459
DSIP, 459
β-endorphin, 459
11-hydroxycorticosterone, 451

MIF-1 (continued)
5-hydroxytryptamine, 451
hyperthermia, 459
hypothermia, 459
melatonin, 451
memory, 451
morphine, 459
MSH, 451, 459
naloxone, 459
neurotensin, 459
norepinephrine, 451
peptides, 459
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
thermoregulation, 459
TRH, 459
Monoamine oxidase inhibitors
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Morphine
acetylcholine, 175
ambient temperatures, 459
d-amphetamine, 459
body temperature, 175
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
histamine, 175
hyperthermia, 459
hypothermia, 459
MIF-I, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
prostaglandins, 175
thermoregulation, 459
TRH, 459
Mother-litter synchrony
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Mother-young bond
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
pregnancy, 17
progesterone, 17
prolactin, 17
sexual receptivity, 17
Mouse
brain, 421
genetics, 421
neuroanatomy, 421
neurobiology, 421
neurochemistry, 421
neuropsychophysiology, 421
MSH
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
dopamine, 451
drug interaction, 459
DSIP, 459
β-endorphin, 459
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
hyperthermia, 459
hypothermia, 459
melatonin, 451
memory, 451
MIF-I, 451, 459
morphine, 459
naloxone, 459
neurotensin, 459
norepinephrine, 451
peptides, 459
pineal-hypothalamo-pituitary complex, 451
stress responses, 451
thermoregulation, 459
TRH, 459
Multidimensional scaling
neural data, 109
pirimary tastes, 109
psychophysics, 109
smell, 109
taste, 109
taste continuum, 109

Naloxone
aggression, 473
ambient temperatures, 459
d-amphetamine, 459
autoanalgesia, 55
bombesin, 459
conditioned fear, 55
drug interaction, 459
DSIP, 459
endorphin, 55, 459, 473
hyperthermia, 459
hypophysectomy, 55
hypothermia, 459
lesions, 55
maternal behavior, 473
MIF-I, 459
morphine, 459
α-MSH, 459
neurotensin, 459
opiates, 473
opiate tolerance, 55
pain, 55, 473
peptides, 459
play, 473
raphe magnus, 55
separation distress, 473
septum, 55

social behavior, 473
spinal cord transection, 55
thermoregulation, 459
TRH, 459
ventromedial hypothalamus, 55
Neonatal
estrogen, 133
fetal, 133
fighting, 133
testosterone, 133
uterine, position, 133
Neural data
multidimensional scaling, 109
primary tastes, 109
psychophysics, 109
smell, 109
taste, 109
taste continuum, 109
Neuroanatomy
brain, 421
genetics, 421
mouse, 421
neurobiology, 421
neurochemistry, 421
neuropsychophysiology, 421
Neurobiology
brain, 421
genetics, 421
mouse, 421
neuroanatomy, 421
neurochemistry, 421
neuropsychophysiology, 421
Neurochemical modulation
reflex excitability, 241
startle reflex, 241
stimulus reactivity, 241
Neurochemistry
brain, 421
genetics, 421
mouse, 421
neuroanatomy, 421
neurobiology, 421
neuropsychophysiology, 421
Neuropsychophysiology
brain, 421
genetics, 421
mouse, 421
neuroanatomy, 421
neurobiology, 421
neurochemistry, 421
Neurotensin
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
peptides, 459
thermoregulation, 459
TRH, 459
Non-opiate
analgesia, 87
endorphin, 87
enkephalin, 87
hypothalamus, 87
opiate, 87
pain, 87
periaqueductal gray, 87
pituitary gland, 87
serotonin, 87
stress, 87
Norepinephrine
amphetamines, 281
aversive learning, 161
body temperature, 281
bretylium, 281
catecholamines, 161
p-chlorophenylalanine, 281
cocaine, 281
corticosterone, 161
dopamine, 161, 451
ergot alkaloids, 281
guanethidine, 281
11-hydroxycorticosterone, 451
6-hydroxydopamine, 281
5-hydroxytryptamine, 451
learning, 161
melatonin, 451
memory, 451
methyltyrosines, 281
MIF-I, 451
monoamine oxidase inhibitors, 281
MSH, 451
phenoxybenzamine, 281
pineal-hypothalamo-pituitary complex, 451
propranolol, 281
reserpine, 281
serotonin, 281
stress responses, 451
tricyclic antidepressants, 281
tryptamines, 281

Obesity
affective disorders, 151
drinking, 151
eating, 151
finickiness, 151
ventromedial hypothalamus, 151
Opiate receptor
ACTH, 77
adrenal medulla functioning, 77
affect, 77
analgesia, 77
endorphin, 77
enkephalin, 77
pain, 77
pituitary gland, 77
stress, 77
Opiate tolerance
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
lesions, 55
naloxone, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Opiates
aggression, 473
analgesia, 87
endorphin, 87, 473
enkephalin, 87
hypothalamus, 87
maternal behavior, 473

Opiates (continued)
naloxone, 473
non-opiate, 87
pain, 87, 473
periaqueductal gray, 87
pituitary gland, 87
play, 473
separation distress, 473
serotonin, 87
social behavior, 473
stress, 87

Pain
ACTH, 77
adrenal medulla functioning, 77
affect, 77
aggression, 473
analgesia, 77, 87
autoanalgesia, 55
conditioned fear, 55
endorphin, 55, 77, 87, 473
enkephalin, 77, 87
hypophysectomy, 55
hypothalamus, 87
lesions, 55
maternal behavior, 473
naloxone, 55, 473
non-opiate, 87
opiate receptor, 77
opiate tolerance, 55
opiates, 87, 473
periaqueductal gray, 87
pituitary gland, 77, 87
play, 473
raphe magnus, 55
separation distress, 473
septum, 55
serotonin, 87
social behavior, 473
spinal cord transection, 55
stress, 77, 87
ventromedial hypothalamus, 55
Palatability
cephalic phase of insulin release, s43
preabsorptive insulin release, s43
Parturition
adaptive advantage, 141
amnion, 141
fetal membranes, 141
immunology, 141
ingestion, 141
mammals, 141
maternal behavior, 141
placenta, 141
placentophagia, 141
pregnancy, 141
Peptides
ambient temperatures, 459
d-amphetamine, 459
behavior, 1, 9
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
luteinizing hormine-releasing hormone, 1
melanocyte stimulating hormone, 9
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
separation, 1
thermoregulation, 459
TRH, 459
Periaqueductal gray
analgesia, 87
endorphin, 87
enkephalin, 87
hypothalamus, 87
non-opiate, 87
opiate, 87
pain, 87
pituitary gland, 87
serotonin, 87
stress, 87
Periodicity of feeding
meal frequency, s1
meal pattern, s1
meal size, s1
Phenoxybenzamine
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Pineal-hypothalamo-pituitary complex
dopamine, 451
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
melatonin, 451
memory, 451
MIF-I, 451
MSH, 451
norepinephrine, 451
stress response, 451
Pituitary gland
ACTH, 77
adrenal medulla functioning, 77
affect, 77
analgesia, 77, 87
endorphin, 77, 87
enkephalin, 77, 87
hypothalamus, 87
non-opiate, 87
opiate receptor, 77
opiates, 87
pain, 77, 87
periaqueductal gray, 87
serotonin, 87
stress, 77, 87
Placenta
adaptive advantage, 141
amnion, 141
fetal membranes, 141
immunology, 141
ingestion, 141
mammals, 141
maternal behavior, 141
parturition, 141
placentophagia, 141

pregnancy, 141
Placentophagia
adaptive advantage, 141
amnion, 141
fetal membranes, 141
immunology, 141
ingestion, 141
mammals, 141
maternal behavior, 141
parturition, 141
placenta, 141
pregnancy, 141
Plasma free fatty acids
blood glucose, s17, s25
2-deoxy-D-glucose, s33
diurnal cycle, s33
feeding diurnal cycle, s17
food deprivation, s17, s25, s33
food intake, s17, s33
meal pattern, s25
meal size, s25
metabolic diurnal cycle, s17
plasma glucose, s33
post-meal interval, s25
Plasma glucose
2-deoxy-D-glucose, s33
diurnal cycle, s33
food deprivation, s33
food intake, s33
plasma free fatty acids, s33
Play
aggression, 473
endorphins, 473
maternal behavior, 473
naloxone, 473
opiates, 473
pain, 473
separation distress, 473
social behavior, 473
Post-meal interval
blood glucose, s25
food deprivation, s25
meal pattern, s25
meal size, s25
plasma free fatty acids, s25
Preabsorptive insulin release
cephalic phase of insulin release, s43
palatability, s43
Pregnancy
adaptive advantage, 141
aggression, 17
amnion, 141
cannibalism, 17
estradiol, 17
fetal membranes, 141
hamster, 17
immunology, 141
ingestion, 141
lactation, 17
mammals, 141
maternal behavior, 17, 141
mother-litter synchrony, 17
mother-young bond, 17
parturition, 141
placenta, 141
placentophagia, 141
progesterone, 17
prolactin, 17
sexual receptivity, 17
Pre-prandial blood glucose decrease
blood glucose, s13
meal onset, s13
Primary tastes
multidimensional scaling, 109
neural data, 109
psychophysics, 109
smell, 109
taste, 109
taste continuum, 109
Progesterone
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
prolactin, 17
sexual receptivity, 17
Prolactin
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
sexual receptivity, 17
Propranolol
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281
Prostaglandins
acetylcholine, 175
body temperature, 175
histamine, 175
morphine, 175
Psychophysics
multidimensional scaling, 109
neural data, 109
primary tastes, 109
smell, 109
taste, 109
taste continuum, 109

Raphe magnus
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
lesions, 55
naloxone, 55
opiate tolerance, 55
pain, 55
septum, 55

Raphe magnus (continued)
spinal cord transection, 55
ventromedial hypothalamus, 55
Reflex excitability
neurochemical modulation, 241
startle reflex, 241
stimulus reactivity, 241
Reserpine
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
serotonin, 281
tricyclic antidepressants, 281
tryptamines, 281

Self-administration
blood glucose regulation, s53
food intake, s53
glucagon, s53
insulin, s53
Separation
behavior, 1
luteinizing hormone-releasing hormone, 1
peptides, 1
Separation distress
aggression, 473
endorphins, 473
maternal behavior, 473
naloxone, 473
opiates, 473
pain, 473
play, 473
social behavior, 473
Septum
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
lesions, 55
naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
spinal cord transection, 55
ventromedial hypothalamus, 55
Serotonin
amphetamines, 281
analgesia, 87
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
endorphin, 87
enkephalin, 87
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
hypothalamus, 87
methyltyrosines, 281
monoamine oxidase inhibitors, 281
non-opiate, 87
norepinephrine, 281
opiates, 87
pain, 87
periaqueductal gray, 87
phenoxybenzamine, 281
pituitary gland, 87
propranolol, 281
reserpine, 281
stress, 87
tricyclic antidepressants, 281
tryptamines, 281
Set-point
activity, 377
body weight, 377
daily rhythm, 377
drinking, 377
eating, 377
light-dark cycle, 377
Sex dimorphism
burrowing, 265
eating, 265
exercise, 265
Sexual receptivity
aggression, 17
cannibalism, 17
estradiol, 17
hamster, 17
lactation, 17
maternal behavior, 17
mother-litter synchrony, 17
mother-young bond, 17
pregnancy, 17
progesterone, 17
prolactin, 17
Signaled shock
ACTH, 69
analgesia, 69
conditioned emotional response, 69
conditioned taste aversion, 69
endorphin, 69
learning, 69
Smell
multidimensional scaling, 109
neural data, 109
primary tastes, 109
psychophysics, 109
taste, 109
taste continuum, 109
Social behavior
aggression, 473
endorphins, 473
maternal behavior, 473
naloxone, 473
opiates, 473
pain, 473
play, 473
separation distress, 473
Space-time pattern
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
hormones, 27
lipogenesis-lipolysis, 27
time of day, 27
Spinal cord transection
autoanalgesia, 55
conditioned fear, 55
endorphin, 55
hypophysectomy, 55
lesions, 55

naloxone, 55
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
ventromedial hypothalamus, 55
Startle reflex
neurochemical modulation, 241
reflex excitability, 241
stimulus reactivity, 241
Starvation
body weight regulation, s47
food intake, s47
food restriction, s47
hyperphagia, s47
starvation diabetes, s47
weight loss, s47
Starvation diabetes
body weight regulation, s47
food intake, s47
food restriction, s47
hyperphagia, s47
starvation, s47
weight loss, s47
Stimulus reactivity
neurochemical modulation, 241
reflex excitability, 241
startle reflex, 241
Stress
ACTH, 77
adrenal medulla functioning, 77
affect, 77
analgesia, 77, 87
endorphin, 77, 87
enkephalin, 77, 87
hypothalamus, 87
non-opiate, 87
opiate receptor, 77
opiates, 87
pain, 77, 87
periaqueductal gray, 87
pituitary gland, 77, 87
serotonin, 87
Stress response
dopamine, 451
11-hydroxycorticosterone, 451
5-hydroxytryptamine, 451
melatonin, 451
memory, 451
MIF-I, 451
MSH, 451
norepinephrine, 451
pineal-hypothalamo-pituitary complex, 451

Taste
multidimensional scaling, 109
neural data, 109
primary tastes, 109
psychophysics, 109
smell, 109
taste continuum, 109
Taste continuum
multidimensional scaling, 109
neural data, 109
primary tastes, 109
psychophysics, 109
smell, 109
taste, 109
Testosterone
estrogen, 133
fetal, 133
fighting, 133
neonatal, 133
uterine position, 133
Thermoregulation
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
TRH, 459
Theta rhythm
EEG, 437
hippocampus, 437
mathematical model, 437
Time of day
anticipation, 27
blood-borne constituents, 27
circadian rhythms, 27
CNS structures, 27
feeding cycles, 27
hormones, 27
lipogenesis-lipolysis, 27
space-time pattern, 27
TRH
ambient temperatures, 459
d-amphetamine, 459
bombesin, 459
drug interaction, 459
DSIP, 459
β-endorphin, 459
hyperthermia, 459
hypothermia, 459
MIF-I, 459
morphine, 459
α-MSH, 459
naloxone, 459
neurotensin, 459
peptides, 459
thermoregulation, 459
Tricyclic antidepressants
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tryptamines, 281
Tryptamines
amphetamines, 281
body temperature, 281
bretylium, 281
p-chlorophenylalanine, 281
cocaine, 281
ergot alkaloids, 281

Tryptamines (continued)
guanethidine, 281
6-hydroxydopamine, 281
methyltyrosines, 281
monoamine oxidase inhibitors, 281
norepinephrine, 281
phenoxybenzamine, 281
propranolol, 281
reserpine, 281
serotonin, 281
tricyclic antidepressants, 281
Tyrosine transaminase
body temperature, 119
circadian rhythms, 119
corticosterone, 119
diurnal rhythms, 119
drinking, 119
eating, 119
entrainment, 119
feeding schedules, 119
intestinal enzymes, 119
lever pressing, 119
locomotor activity, 119

Uterine position
estrogen, 133
fetal ,133
fighting, 133
neonatal, 133
testosterone, 133

Ventromedial hypothalamus
affective disorders, 151
autoanalgesia, 55
conditioned fear, 55
drinking, 151
eating, 151
endorphin, 55
finickiness, 151
hypophysectomy, 55
lesions, 55
naloxone, 55
obesity, 151
opiate tolerance, 55
pain, 55
raphe magnus, 55
septum, 55
spinal cord transection, 55

Weight loss
body weight regulation, s47
food intake, s47
food restriction, s47
hyperphagia, s47
starvation, s47
starvation diabetes, s47

AUTHOR INDEX

AMIR, S., 77
AMIT, Z., 77
ARMSTRONG, S., 27, 377

BISHOP, P., 473
BODNAR, R. J., 87
BOULOS, Z., 119
BROWN, Z. W., 77
BRUTUS, M., 87

CHANCE, W. T., 55
CLARK, W. G., 175, 281
CLARK, Y. L., 175, 281
COLEMAN, G., 377
CORFMAN, T. P., 421

DATTA, P. C., 451
DAVIS, M., 241
DeESKINAZI, F. G., 473
DEVOS, M., s1, s17, s29
DUNCAN, H. J., 69

ERICKSON, R. P., 109

GANDELMAN, R., 133
GLUSMAN, M., 87

HAY, D. A., 489
HERMAN, B. H., 473

INGRAM, D. K., 421

JOUHANEAU, J., s53

KASTIN, A. J., 1, 9, 459
KELLY, D. D., 87
KING, B. M., 151
KING, M. G., 161, 451
KLEMM, W. R., 437
KRISTAL, M. B., 141
KUTSCHER, C., 403, 404, 405
KUTSCHER, C. L., 101

LaHOSTE, G. J., 9
LARUE-ACHAGIOTIS, C., s17, s25, s33
LE MAGNEN, J., s1, s13, s17, s25, s29, s33, s39, s43, s47, s53, s65
LOUIS-SYLVESTRE, J., s13, s43

MAUK, M. D., 1

NAUGLE, N. W., 437
NIKOLETSEAS, M. M., 265

OEI, T. P. S., 161
OLSON, G. A., 1, 9
OLSON, R. D., 1, 9

PANKSEPP, J., 473
PENICAUD, L., s39, s47

RILEY, A. L., 69
ROSENBLATT, J. S., 17

SCHIFFMAN, S. S., 109
SIEGEL, H. I., 17
SINGER, G., 377

TERMAN, M., 119

VILBERG, T., 473

YEHUDA, S., 459

ZELLNER, D. A., 69

Numbers preceded by the letter s indicate authors appearing in *Body Energy Regulation and the Stimulation to Eat . . .* Suppl., Vol. 4, 1980.